

TRUST BUILT

UPON RELIABILITY



T-Air[®]

POWERED AIR PURIFYING RESPIRATORS

MASK, HEADTOPS AND HOOD OPTIONS



**T-AIR
1000 M**

Part # 614060

- Easy adjustable head harness with ratchet Chemical resistant PETG visor
- Comfortable SMS neck seal
- Hood made of Lightweight Microporous material including overpressure valve

EN12941:2009 TH3P
(NPF 500)



**T-AIR
1000 CHEM1**

Part # 614061

- Hood made of HDPE barrier film laminate with overpressure valve
- Easy adjustable and reusable head harness with ratchet
- Chemical resistant PETG visor
- Comfortable SMS neck seal

EN12941:2009 TH3P
(NPF 500)



**T-AIR
1000 CHEM3**

Part # 614062

- Hood made of Multi-layer composite material with EVOH film barrier with exhalation valve
- Easy adjustable and reusable head harness with ratchet
- Chemical resistant PETG visor
- Comfortable SMS neck seal

EN12941:2009 TH3P
(NPF 500)





T-AIRVISOR

Part # 614150

- Large viewing area, chemical and mechanical resistant visor
- Easy removal disposable visor system
- Possibility to flip up visor
- Comfortable elastic cotton face seal
- Easy adjustable head harness with ratchet

EN12941:2009 TH2P
(NPF 50)



T-AIR FILTERS (CLASS 2)

The T-Air protects the user against high concentrations of contaminants in the form of gases vapours, particles and their combinations. The filter ports automatically close once the filters have been removed, providing decontaminations to enter the unit. (IP65)

- 40 12 01 P3 (2 or 3)
- 40 12 09 A2P3
- 40 12 16 A2B2E2P3
- 40 12 17 A2B2E2K2P3
- 40 12 18 A2B2E2K2HgP3



The headtops and masks are approved to EN12941 & EN12942:2009 and provide protection for eye, face, neck and shoulders. The T-Air® series headtops offer lightweight and comfortable protection in many industrial applications.



T-AIRWELD 820

Part # 614260

- Respiratory (EN12941) and eye protection (EN175B)
- High quality ADF lens with 4 sensors, 9-13 variable for welding / grinding, optical class 1/2/1/1
- Viewing area 95 x 85 mm
- Possibility to flip up visor
- Comfortable elastic cotton face seal
- Easy adjustable head harness with ratchet
- Strong and flexible PE breathing hose
- Comfortable easy to adjust airflow

EN12941:2009 TH2P
(NPF 50)



Grinding / Welding



T-AIR VISOR COMBI

Part # 615150

- Respirator incorporating a safety helmet.
- Large viewing area, chemical and mechanical resistant visor.
- Easy removal disposable visor system.
- Possibility to flip up visor
- Comfortable elastic cotton face seal.
- Ratchet for easy adjustable harness.

EN12941:2009 TH2P
(NPF 50)



Grinding / Welding



T-AIR MASK

- Neoprene or Silicone full face mask with 5 pull straps
- Providing highest protection level.
- Perfect fit of mask due to unique design
- For use with all filter combinations.
- Strong, durable and chemical resistant Perplex visor

EN12942:2009 TM3P (NPF2000)

- Asbestos removal/chemical industries

T-AIR PAPP

Code: 650102

- Small, slim design, incorporating all Class 2 filters: A2P3, A2B2(E2)P3, A2B2E2K2(Hg)P3 and P3.
- Electronically controlled adjustable airflow: 160-220 l/min
- Tripple low flow warning: visual, acoustic, vibration.
- Heavy duty battery for long duration
- Full led display showing flow, filter and battery capacity
- Showerproof (IP65) for complete decontamination purposes




ACCESSORIES

The unit is standard supplied with various parts as:

- battery
- charger
- comfort belt with safety buckle
- manual airflow indicator
- complete user instructions

Furthermore there are optional accessories available: Please contact your distributor RSG for a complete demonstration



Disposable
Masks



Half Masks



Full Face
Masks



Powered
Respirators



Escape
Hoods



Continuous
Flow Airline



Face Fit
Testing



Headtops



Flame
Retardant
Coveralls



Disposable
Coveralls



Eyewear



RSG Safety BV

Marinus Dammeweg 38
5928 PW Venlo, The Netherlands

Tel: +31 (0)85 487 0395
E-mail: sales@rsgsafety.com

www.rsgsafety.com